

ULTRASET 2 IN 1 Revision Number 2.01

Revision date 24-Oct-2022 Supersedes Date: 04-Feb-2021

Section 1: Identification: Product identifier and chemical identity		
Product identifier		
Product Name	ULTRASET 2 IN 1	
Product Code(s) 30608841 30608841		
Other means of identification		
Pure substance/mixture	Mixture	
Recommended use of the chemic	al and restrictions on use	
Recommended use	Adhesive	
Uses advised against	No information available	
Details of manufacturer or import	er	
<u>Supplier</u> Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342	Manufacturer Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342	
ABN: 79 003 893 838	ABN: 79 003 893 838	
E-mail address	au-bostik-sds@bostik.com	
Emergency telephone number		
Emergency telephone number	24-hr Emergency: 1800 033 111	

Section 2: Hazard(s) identification

GHS Classification

Flammable liquids	Category 4 - (H227)
Skin sensitization	Category 1B - (H317)

Label elements

Exclamation mark



ULTRASET 2 IN 1 Revision Number 2.01

Signal word WARNING

Hazard statements

H227 - Combustible liquid H317 - May cause an allergic skin reaction

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/clothing and eye/face protection Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish **Precautionary Statements - Storage** Store in well-ventilated place **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Causes mild skin irritation.

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No	Weight-%
Trimethoxyvinylsilane	2768-02-7	0 - <10
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0 - <10
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	22673-19-4	0 - <10
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures		
Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766	
Description of first aid measures		
General advice	Show this safety data sheet to the doctor in attendance. If medical advice is needed, have product container or label at hand.	
Inhalation	Remove to fresh air. If symptoms persist, call a physician.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.	

ULTRASET 2 IN 1 Revision Number 2.01	Revision date 24-Oct-2022 Supersedes Date: 04-Feb-2021		
Ingestion	Call a physician immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Small amounts of toxic methanol are released by hydrolysis.		
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8).		
Most important symptoms and eff	ects, both acute and delayed		
Symptoms	None known.		
Indication of any immediate medic	al attention and special treatment needed		
Note to physicians	Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.		
Section 5: Firefighting measures			
Suitable Extinguishing Media			
Suitable extinguishing media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.		
Unsuitable extinguishing media	Full water jet.		
Specific hazards arising from the	chemical		
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapors.		
Hazardous combustion products	Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Silicon dioxide.		
Special protective actions for fire-	fighters		
Special protective equipment and precautions for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.		
Section 6: Accidental release mea	sures		
Personal precautions, protective e	equipment and emergency procedures		
Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.		
For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.		
Methods and material for containr	nent and cleaning up		
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.		
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.		
Precautions to prevent secondary	hazards		

Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
Section 7: Handling and storage, including how the chemical may be safely used			
Precautions for safe handling			
Advice on safe handling	Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.		
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Protect from moisture. Keep away from food, drink and animal feeding stuffs.		
Recommended storage temperature	Keep at temperatures between 50 and 95 $^{\circ}\text{F}$ / 10 and 35 $^{\circ}\text{C}.$		

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

Chemical name	Australia
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	TWA: 0.1 mg/m ³
22673-19-4	STEL: 0.2 mg/m ³

Appropriate engineering controls			
Engineering controls	Showers, eyewash stations, and ventilation systems.		
Individual protection measures, su	uch as personal protective equipment		
Eye/face protection	Tight sealing safety goggles.		
Skin and body protection	Wear suitable protective clothing.		
Hand protection	Wear suitable gloves.		
Respiratory protection	Organic gases and vapors filter conforming to EN 14387. White. Brown.		
Environmental exposure controls	No information available.		

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Thixotropic Paste
Color	Off-white
Odor	Fruity

ULTRASET 2 IN 1 Revision Number 2.01

Odor threshold	No information available
Property	Values Remarks • Method
pH	No data available
pH (as aqueous solution)	No data available
Melting point / freezing point	No data available
Initial boiling point and boiling	No data available
range	
Flash point	> 93 °C
Evaporation rate	No data available
Flammability	Not applicable for liquids .
Flammability Limit in Air	
Upper flammability or explosive	No data available
limits	
Lower flammability or explosive	No data available
limits	
Vapor pressure	No data available
Relative vapor density	No data available
Relative density	No data available
Water solubility	No data available
Solubility(ies) Partition coefficient	No data available
	No data available
Autoignition temperature	No data available No data available
Decomposition temperature Kinematic viscosity	No data available
Dynamic viscosity	150000 - 600000 mPa s
Explosive properties	No information available
Oxidizing properties	No information available
Other information	
Solid content (%)	approx 97
Density	4.74 a/am3
Density	1.71 g/cm ³
VOC content	No information available
	No information available
VOC content Section 10: Stability and reactivity	No information available
VOC content	No information available
VOC content Section 10: Stability and reactivity Reactivity	No information available
VOC content Section 10: Stability and reactivity	No information available
VOC content Section 10: Stability and reactivity Reactivity	No information available
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability	No information available Product cures with moisture.
VOC content Section 10: Stability and reactivity Reactivity Reactivity	No information available
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability Stability	No information available Product cures with moisture.
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability Stability Explosion data	No information available Product cures with moisture.
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability Stability	No information available Product cures with moisture. Stable under normal conditions.
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability Stability Explosion data Sensitivity to mechanical	No information available Product cures with moisture. Stable under normal conditions.
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability Stability Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	No information available Product cures with moisture. Stable under normal conditions. None. Yes.
VOC content Section 10: Stability and reactivity Reactivity Chemical stability Stability Explosion data Sensitivity to mechanical impact	No information available Product cures with moisture. Stable under normal conditions. None. Yes.
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability Stability Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	No information available Product cures with moisture. Stable under normal conditions. None. Yes.
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability Stability Explosion data Sensitivity to mechanical impact Sensitivity to static discharge Possibility of hazardous reactions	No information available Product cures with moisture. Stable under normal conditions. None. Yes.
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability Stability Stability Explosion data Sensitivity to mechanical impact Sensitivity to static discharge Possibility of hazardous reactions Possibility of hazardous reactions Conditions to avoid	No information available Product cures with moisture. Stable under normal conditions. None. Yes. None under normal processing.
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability Stability Explosion data Sensitivity to mechanical impact Sensitivity to static discharge Possibility of hazardous reactions	No information available Product cures with moisture. Stable under normal conditions. None. Yes. None under normal processing. Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability Stability Stability Explosion data Sensitivity to mechanical impact Sensitivity to static discharge Possibility of hazardous reactions Possibility of hazardous reactions Conditions to avoid	No information available Product cures with moisture. Stable under normal conditions. None. Yes. None under normal processing. Product cures with moisture. Protect from moisture. Exposure to air or moisture over
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability Stability Stability Explosion data Sensitivity to mechanical impact Sensitivity to static discharge Possibility of hazardous reactions Possibility of hazardous reactions Conditions to avoid Conditions to avoid	No information available Product cures with moisture. Stable under normal conditions. None. Yes. None under normal processing. Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability Stability Stability Explosion data Sensitivity to mechanical impact Sensitivity to static discharge Possibility of hazardous reactions Possibility of hazardous reactions Conditions to avoid	No information available Product cures with moisture. Stable under normal conditions. None. Yes. None under normal processing. Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and
VOC content Section 10: Stability and reactivity Reactivity Reactivity Chemical stability Stability Stability Explosion data Sensitivity to mechanical impact Sensitivity to static discharge Possibility of hazardous reactions Possibility of hazardous reactions Conditions to avoid Conditions to avoid	No information available Product cures with moisture. Stable under normal conditions. None. Yes. None under normal processing. Product cures with moisture. Protect from moisture. Exposure to air or moisture over prolonged periods. Do not freeze. Keep away from open flames, hot surfaces and

ULTRASET 2 IN 1 Revision Number 2.01

Hazardous decomposition products		
Hazardous decomposition products	Carbon oxides. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.	
Section 11: Toxicological informa	tion	
Acute toxicity		
Information on likely routes of exp	posure	
Product Information		
Inhalation	Based on available data, the classification criteria are not met.	
Eye contact	Based on available data, the classification criteria are not met.	
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Causes mild skin irritation.	
Ingestion	Based on available data, the classification criteria are not met.	
Symptoms	Itching. Rashes. Hives. Prolonged contact may cause redness and irritation.	

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (dermal)13,430.80ATEmix (inhalation-vapor)735.90

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane	LD50 = 7120 -7236 mg/kg	= 3540 mg/kg (Oryctolagus	LC50 (4hr) 16.8 mg/l (Rattus)
	(Rattus) OECD 401	cuniculus)	OECD TG 403
N-(3-(trimethoxysilyl)propyl)eth ylenediamine	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air
Tin, dibutylbis(2,4-pentanedionato- O,O')-, (OC-6-11)-	LD50 = 1864 mg/kg (Rattus) OECD 401	LD50 > 2000 mg/kg (Rattus) OECD 402	LC50 4hr: 16.8 mg/l (Rattus) (OECD TG 403)

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Classification based on data available for ingredients. Causes mild skin irritation.

Component Information							
Trimethoxyvinylsilane (2768-02-7)							
Method	Species	Exposure route	Effective dose	Exposure time	Results		
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant		

Serious eye damage/eye irritation No information available.

Component Information						
Trimethoxyvinylsilane (2768-02-7)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant	

ULTRASET 2 IN 1 Revision Number 2.01

Revision date 24-Oct-2022 Supersedes Date: 04-Feb-2021

Acute Eye			
Irritation/Corrosion			

Respiratory or skin sensitization May cause an allergic skin reaction.

Component Information					
Trimethoxyvinylsilane (2768-02-7)					
Method	Species	Exposure route	Results		
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitizing		
Sensitization, Buehler test	-		-		

Germ cell mutagenicity

No information available.

Component Information						
Trimethoxyvinylsilane (2768-02-7)						
Method	Species	Results				
OECD Test No. 471: Bacterial Reverse	in vitro	Not mutagenic				
Mutation Test						

Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)- (22673-19-4)					
Method	Species	Results			
OECD Test No. 476: In vitro Mammalian Cell	in vitro	Mutagenic			
Gene Mutation Test		_			

Reproductive toxicity

No information available.

Component Information						
Trimethoxyvinylsilane (2768-02-7)						
Method	Species	Results				
OECD Test No. 422: Combined Repeated Dose	Rat	Not Classifiable				
Toxicity Study with the						
Reproduction/Developmental Toxicity Screening						
Test						

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Component Information						
Trimethoxyvinylsilane (2768-02-7)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 413:	Rat	Inhalation vapor		90 days	0.058 NOAEL	
Subchronic Inhalation						
Toxicity: 90-day Study						

Aspiration hazard

No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Chemical hame Algae/aqualic plants Fish Toxicity to Crustacea	Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
---	---------------	----------------------	------	-------------	-----------

ULTRASET 2 IN 1 Revision Number 2.01

Revision date 24-Oct-2022 Supersedes Date: 04-Feb-2021

			microorganisms	
Trimethoxyvinylsilane	EC 50 (72h) > 957 mg/l	LC50 (96h) = 191 mg/l	-	EC50(48hr) 168.7mg/l
2768-02-7	(Desmodesmus subspicatus) EU Method C.3	(Oncorhynchus mykiss)		(Daphnia magna)
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static
Tin, dibutylbis(2,4-pentanedi onato-O,O')-, (OC-6-11)- 22673-19-4		>2.0 mg/l	-	EC50 0.0036 mg/l 48Hr (Daphnia magna)

Persistence and degradability

Persistence and degradability

No information available.

Component Information						
Trimethoxyvinylsilane (2768-02-7)						
Method	Exposure time	Value	Results			
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily			
Biodegradability: Manometric			biodegradable			
Respirometry Test (TG 301 F)						

Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

coefficient
1
.3
•

Mobility

- Mobility in soil No information available.
- Mobility No information available.

Other adverse effects

Other adverse effects

No information available.

Endocrine Disruptor Information

Section 13: Disposal considerations				
Disposal methods				
Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.			
Contaminated packaging	Handle contaminated packages in the same way as the product itself.			
Section 14: Transport information	n			

```
ADG
```

Not regulated

ULTRASET 2 IN 1 Revision Number 2.01

IATA

Not regulated

IMDG

Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) No poisons schedule number allocated

Poison Schedule Number Not applicable

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	10 tonne/yr Threshold category 1
22673-19-4	

International Inventories

AIIC	Listed
NZIOC	Listed
ENCS	Listed
IECSC	Listed
KECL	Not Listed
PICCS	Not Listed

Legend:

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

<u>Europe</u>

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorization:

This product contains one or more candidate substance(s) of very high concern (Regulation (EC) No. 1907/2006 (REACH),

ULTRASET 2 IN 1 Revision Number 2.01

Article 59)

Chemical name	SVHC candidates
Tin, dibutylbis(2,4-pentanedionato-O,O')-, (OC-6-11)-	Х
22673-19-4	

2015/863/EU - RoHS

This product does not contain Lead, Cadmium, Mercury, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-Ethylhexyl) phthalate (DEHP), Benzyl butyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) above the regulated limit mentioned in this regulation

Section 16: Any other relevant information						
Prepared By	Product Safe	Product Safety & Regulatory Affairs				
Revision date	24-Oct-2022	24-Oct-2022				
Revision Note ***Indicates updated data since last publication.						
Key or legend to abbreviations and acronyms used in the safety data sheet						
TWA Ceiling C	OSURE CONTROLS/PERSONAL TWA (time-weighted average) Maximum limit value Carcinogen XICOLOGICAL INFORMATION	PROTECTION STEL *	STEL (Short Term Exposure Limit) Skin designation			

C Carcinogen Section 11: TOXICOLOGICAL INFORMATION LD50 (lethal dose) Section 12: Ecological information EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet